


LABORATORY GROWN DIAMOND IDENTIFICATION REPORT

NUMBER	LG440004413ANTWERP, September 4, 2020
DESCRIPTION	LABORATORY GROWN DIAMOND
SHAPE AND CUT	ROUND BRILLIANT
CARAT WEIGHT	0.31 CARAT
COLOR GRADE	G
CLARITY GRADE	SI 2
CUT GRADE	IDEAL
POLISH	EXCELLENT
SYMMETRY	EXCELLENT
Measurements	4.37 - 4.39 x 2.66 mm
Table Size	57%
Crown Height - Angle	14% - 33.5°
Pavilion Depth - Angle	43% - 40.9°
Girdle Thickness	MEDIUM (FACETED)
Culet	POINTED
Total Depth	60.7%
FLUORESCENCE	NONE
COMMENTS	This Laboratory grown diamond was created by chemical vapor deposition process (CVD) Type IIa
LASERSCRIBE	LABGROWN IGI LG440004413
IDENTIFICATION FEATURES	Feather


LG440004413

ANTWERP, September 4, 2020

 LABORATORY GROWN
DIAMOND
ROUND BRILLIANT
WEIGHT 0.31 CARAT
COLOR G
CLARITY SI 2
CUT IDEAL
POLISH EXCELLENT
SYM EXCELLENT
FLUO NONE


CLARITY SCALE

FLAWLESS/ INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED		SLIGHTLY INCLUDED		INCLUDED		
	VVS ₁	VVS ₂	VS ₁	VS ₂	SI ₁	SI ₂	I ₁	I ₂	I ₃

COLOR SCALE

COLORLESS			NEAR COLORLESS			SLIGHTLY TINTED			VERY LIGHT			LIGHT					FANCY COLOR					
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T		U	V	W	X	Y

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.



Note: Profile not to actual proportions

0-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.


 See terms
and conditions on reverse