



INTERNATIONAL
GEMOLOGICAL
INSTITUTE

ELECTRONIC COPY

LG447001192

LABORATORY GROWN DIAMOND REPORT

EDUCATIONAL AND SCIENTIFIC LABORATORY
FOR THE IDENTIFICATION AND GRADING
OF DIAMONDS AND COLORED STONES

GRADING SCALES

COLOR GRADING SCALE	CL		NC		FT	VLT		LT
	COLORLESS D-F		NEAR COLORLESS G-J		FAINT K-M	VERY LIGHT N-R		LIGHT S-Z
CLARITY (10x) GRADING SCALE	FL	IF	VVS		VS	SI		I
	FLAWLESS INTERNALLY FLAWLESS		VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED		INCLUDED

The laboratory grown diamond described in this Report (Report) has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). A laboratory grown diamond is one that has essentially the same chemical, physical and optical properties as a mined diamond, with the exception of being grown by man (a manufactured product). IGI employs and utilizes those techniques and equipment currently available to IGI, including, without limitation, 10X magnification, corrected triplet loupe, binocular microscope, master color comparison stones, non-contact-optical measuring device, Diamond Sure™, Diamond View™, Spectrophotometer and such other instruments and/or processes as deemed appropriate by IGI. This Report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

THIS REPORT IS NEITHER A GUARANTEE, VALUATION, NOR APPRAISAL OF THE GEMSTONE DESCRIBED HEREIN. PLEASE REVIEW THE LIMITATIONS AND RESTRICTIONS SET FORTH ONLINE. FOR ADDITIONAL INFORMATION, IMPORTANT LIMITATIONS AND DISCLAIMERS, PLEASE GO TO WWW.IGI.ORG OR CALL 1-888-BUY-IGIS.


© INTERNATIONAL GEMOLOGICAL INSTITUTE, INC.




PHOTO ENLARGED



LASERSCRIBE SM



CLARITY CHARACTERISTICS



KEY TO SYMBOLS

Red symbols indicate internal characteristics.
Green symbols indicate external characteristics.

This Report is subject to the terms and conditions

© IGI 2000, edition 2019 all rights reserved.

IGI LABORATORY GROWN DIAMOND GRADING
REPORT

11/02/2020

IGI Report Number **LG447001192**

Shape and Cutting Style **OVAL BRILLIANT**


Measurements **8.68 X 6.49 X 4.14 MM**

GRADING RESULTS

Carat Weight **1.50 CARAT**

Color Grade **K**

Clarity Grade **VS 1**



ADDITIONAL GRADING INFORMATION

Polish **VERY GOOD**

Symmetry **VERY GOOD**

Fluorescence **NONE**

Inscription(s) **LABGROWN IGI LG447001192**

Comments: Faint Brown



IGI



THE DOCUMENT WAS PRODUCED THE FOLLOWING SECURITY MEASURES: SPECIAL DOCUMENT PAPER, INK SCREENS, WATERMARK, BACKGROUND DESIGNS, HOLOGRAM AND OTHER SECURITY FEATURES NOT LISTED AND DO EXCEED DOCUMENT SECURITY INDUSTRY DUDLINES

11/02/2020	IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick (Faceted)	Pointed	VERY GOOD	VERY GOOD	NONE	LABGROWN IGI LG447001192	Comments: Faint Brown	
IGI Report No LG447001192	8.68 X 6.49 X 4.14 MM	1.50 CARAT	K	VS 1	63.8%	Thick To Very Thick							