

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING OF DIAMOND AND COLORED STONES

EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium Tel. +32 3 401 08 88 - Fax +32 3 232 07 58 Email : info@igi.org **ELECTRONIC COPY** www.igi.org

LABORATORY GROWN DIAMOND REPORT

This report is a statement of the diamond's identity and grade including all relevant information.

NUMBER LG361979656

LABORATORY REPORT (ORIGINAL)

ANTWERP, March 20, 2019 TO WHOM IT MAY CONCERN.

DESCRIPTION SHAPE AND CUT

CARAT WEIGHT COLOR GRADE **CLARITY GRADE** CUT GRADE

POLISH SYMMETRY


Measurements Table Size Crown Height - Angle Pavilion Depth - Angle Girdle Thickness Culet Total Depth FLUORESCENCE COMMENTS

LASERSCRIBE

LABORATORY GROWN DIAMOND
ROUND BRILLIANT
2.04 CARATS I VS 1 EXCELLENT
EXCELLENT
8.16 - 8.20 x 5.06 mm
58.5%
14.5% - 35.5°
44% - 41.5°
MEDIUM (FACETED)
POINTED
61.8%
NONE

This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa LABGROWN IGI LG361979656

The symbols do not usually reflect the size of the characteristics. Red symbols indicate internal characteristics. Green symbols indicate external characteristics.



insignificant external details, visible under high magnification only, are not shown



0-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards



CLARITY GRADE:	Int	ernally	Flawle	ess	V	vsı	vvs ₂			VS	VS ₂		SI	SI2		η	I ₂	I ₃
COLOR GRADE :	D	Е	F	G	н	1	J	К	L	М	N	0	Ρ	Q	R	S - Z	FANCY	COLOR
PROPORTIONS - MARGIN: ± 1% MEASUREMENTS - MARGIN: ± 0.02mm																		

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI), Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: Diamond/liew, Diamond/Sure, FIIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers. This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelation-ship between cut, color, clarity and carat weight. **THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN**

This report is subject to the terms and conditions set forth above and on reverse.

© IGI, 2000, edition 2017

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.