


**LABORATORY GROWN DIAMOND IDENTIFICATION REPORT**
**NUMBER** LG400935412 December 27, 2019

**DESCRIPTION** LABORATORY GROWN DIAMOND

**SHAPE AND CUT** ROUND BRILLIANT

**CARAT WEIGHT** 0.33 CARAT

**COLOR GRADE** E

**CLARITY GRADE** VVS 1

**CUT GRADE** EXCELLENT

**POLISH** EXCELLENT

**SYMMETRY** EXCELLENT

**Measurements** 4.35 - 4.38 x 2.78 mm

**Table Size** 55.5%

**Crown Height - Angle** 16.5% - 36.2°

**Pavilion Depth - Angle** 43.5% - 41.2°

**Girdle Thickness** MEDIUM (FACETED)

**Culet** POINTED

**Total Depth** 63.7%

**FLUORESCENCE** NONE

**COMMENTS** This Laboratory grown diamond was created by high pressure high temperature process (HPHT)  
Type II

**LASERSCRIBE** LABGROWN IGI LG400935412

**CLARITY SCALE**

FLAWLESS/ INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED		SLIGHTLY INCLUDED		INCLUDED		
	VVS <sub>1</sub>	VVS <sub>2</sub>	VS <sub>1</sub>	VS <sub>2</sub>	SI <sub>1</sub>	SI <sub>2</sub>	I <sub>1</sub>	I <sub>2</sub>	I <sub>3</sub>

**COLOR SCALE**

COLORLESS			NEAR COLORLESS			SLIGHTLY TINTED			VERY LIGHT			LIGHT					FANCY COLOR					
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T		U	V	W	X	Y

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



See terms  
and conditions on reverse