


LABORATORY GROWN DIAMOND IDENTIFICATION REPORT
NUMBER LG407915420ANTWERP, February 6, 2020

DESCRIPTION LABORATORY GROWN DIAMOND

SHAPE AND CUT ROUND BRILLIANT

CARAT WEIGHT 0.56 CARAT

COLOR GRADE I

CLARITY GRADE VS 1

CUT GRADE EXCELLENT

POLISH EXCELLENT

SYMMETRY EXCELLENT

Measurements 5.22 - 5.25 x 3.31 mm

Table Size 58%

Crown Height - Angle 15% - 35.8°

Pavilion Depth - Angle 44% - 41.5°

Girdle Thickness MEDIUM TO SLIGHTLY THICK (FACETED)

Culet POINTED

Total Depth 63.2%

FLUORESCENCE NONE

COMMENTS This Laboratory grown diamond was created by chemical vapor deposition process (CVD) Type IIa

LASERSCRIBE LABGROWN IGI LG407915420

IDENTIFICATION FEATURES Feather, Cloud

CLARITY SCALE

FLAWLESS/ INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED		SLIGHTLY INCLUDED		INCLUDED		
	VVS ₁	VVS ₂	VS ₁	VS ₂	SI ₁	SI ₂	I ₁	I ₂	I ₃

COLOR SCALE

COLORLESS			NEAR COLORLESS			SLIGHTLY TINTED			VERY LIGHT			LIGHT					FANCY COLOR					
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T		U	V	W	X	Y


The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy. UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.


LG407915420

ANTWERP, February 6, 2020

**LABORATORY GROWN
DIAMOND**
ROUND BRILLIANT
WEIGHT 0.56 CARAT
COLOR I
CLARITY VS 1
CUT EXCELLENT
POLISH EXCELLENT
SYM EXCELLENT
FLUO NONE

5.22 - 5.25 x 3.31 mm


Pointed

Note: Profile not to actual proportions

0-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.


 See terms
and conditions on reverse