



INTERNATIONAL  
GEMOLOGICAL  
INSTITUTE

SCIENTIFIC LABORATORY FOR THE IDENTIFICATION AND GRADING  
OF DIAMOND AND COLORED STONES  
EDUCATIONAL PROGRAMS

Expertise issued under license of IGI Antwerp

1/7 Schupstraat, 2018 Antwerp - Belgium  
Tel. +32 3 401 08 88 - Fax +32 3 232 07 58  
Email : info@igi.org  
www.igi.org

ELECTRONIC COPY

LABORATORY GROWN  
DIAMOND REPORT

This report is a statement of the diamond's identity  
and grade including all relevant information.

NUMBER LG407916874

ANTWERP, February 18, 2020

LABORATORY REPORT (ORIGINAL)

TO WHOM IT MAY CONCERN

DESCRIPTION  
SHAPE AND CUT

LABORATORY GROWN DIAMOND  
ROUND BRILLIANT

CARAT WEIGHT  
COLOR GRADE  
CLARITY GRADE  
CUT GRADE

2.30 CARATS  
I  
VS 1  
EXCELLENT

POLISH

EXCELLENT

SYMMETRY

EXCELLENT

Measurements

8.34 - 8.41 x 5.24 mm

Table Size

56%

Crown Height - Angle

16.5% - 36.5°

Pavilion Depth - Angle

42.5% - 40.2°

Girdle Thickness

MEDIUM TO SLIGHTLY THICK (FACETED)

Culet

POINTED

Total Depth

62.5%

FLUORESCENCE

NONE

COMMENTS


This Laboratory grown diamond was created by  
chemical vapor deposition process (CVD)  
Type IIa

LASERSCRIBE

LABGROWN IGI LG407916874

The symbols do not usually reflect the size of the characteristics.

Red symbols indicate internal characteristics.  
Green symbols indicate external characteristics.



Insignificant external details, visible under  
high magnification only, are not shown



0-m Security features included in this document are hologram,  
watermarked paper and additional features not listed,  
that, as a composite, exceed industry security standards.



CLARITY GRADE: Internally Flawless VVS1 VVS2 VS1 VS2 SI1 SI2 I1 I2 I3

COLOR GRADE : D E F G H I J K L M N O P Q R S-Z FANCY COLOR

PROPORTIONS - MARGIN: ± 1%  
MEASUREMENTS - MARGIN: ± 0.02mm

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers. This report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.  
**THIS REPORT IS NEITHER A GUARANTEE, VALUATION NOR APPRAISAL OF THE LABORATORY GROWN DIAMOND DESCRIBED HEREIN**  
**This report is subject to the terms and conditions set forth above and on reverse.**  
© IGI, 2000, edition 2017  
All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute.