



LABORATORY GROWN DIAMOND IDENTIFICATION REPORT

| | |
|--------------------------------|---|
| NUMBER | LG407930373 ANTWERP, February 19, 2020 |
| DESCRIPTION | LABORATORY GROWN DIAMOND |
| SHAPE AND CUT | OVAL BRILLIANT |
| CARAT WEIGHT | 0.90 CARAT |
| Measurements | 7.77 x 5.57 x 3.35 mm |
| CLARITY GRADE | VS 1 |
| COLOR GRADE | I |
| Fluorescence | NONE |
| FINISH | |
| Polish - Symmetry | EXCELLENT |
| Proportions | VERY GOOD |
| Table Size | 56.5% |
| Crown Height | 14% |
| Pavilion Depth | 43.5% |
| Girdle Thickness | MEDIUM TO SLIGHTLY THICK (FACETED) |
| Culet | POINTED |
| Total Depth | 60.1% |
| COMMENT | This Laboratory Grown Diamond was created by Chemical Vapor Deposition (CVD) growth process. Type IIa |
| LASERSCRIBE | LABGROWN IGI LG407930373 |
| IDENTIFICATION FEATURES | Cloud, Feather |



LG407930373
ANTWERP, February 19, 2020

LABORATORY GROWN
DIAMOND
OVAL BRILLIANT
WEIGHT 0.90 CARAT
COLOR I
CLARITY VS 1
POL-SYM EXCELLENT
PROP VERY GOOD
FLUO NONE

CLARITY SCALE


| FLAWLESS/ INTERNALLY FLAWLESS | VERY VERY SLIGHTLY INCLUDED | | VERY SLIGHTLY INCLUDED | | SLIGHTLY INCLUDED | | INCLUDED | | |
|-------------------------------------|-----------------------------|------------------|------------------------|-----------------|-------------------|-----------------|----------------|----------------|----------------|
| | VVS ₁ | VVS ₂ | VS ₁ | VS ₂ | SI ₁ | SI ₂ | I ₁ | I ₂ | I ₃ |

COLOR SCALE

| COLORLESS | | | NEAR COLORLESS | | | SLIGHTLY TINTED | | | VERY LIGHT | | | LIGHT | | | | | FANCY COLOR | | | | | |
|-----------|---|---|----------------|---|---|-----------------|---|---|------------|---|---|-------|---|---|---|---|-------------|---|---|---|---|---|
| D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | | U | V | W | X | Y |

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

7.77 x 5.57 x 3.35 mm



Note: Profile not to actual proportions

0-m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



See terms and conditions on reverse

All rights reserved. No part of this report may be reproduced or transmitted in any form or by any means, without permission in writing from International Gemological Institute