

INTERNATIONAL  
GEMOLOGICAL  
INSTITUTE

LABORATORY GROWN DIAMOND REPORT

12/28/2020

IGI Report Number

Shape and Cutting Style

Measurements

GRADING RESULTS

Carat Weight

Color Grade

Clarity Grade

Cut Grade

ADDITIONAL GRADING INFORMATION

Polish

Symmetry

Fluorescence

Inscription(s)

Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.

LG464195307

ROUND BRILLIANT

7.96 - 8.01 x 4.97 mm

2.00 CARATS

F

VS 2


VERY GOOD

EXCELLENT

VERY GOOD

NONE

LABGROWN IGI LG464195307



[www.igi.org](http://www.igi.org)

ELECTRONIC COPY

LABORATORY GROWN DIAMOND REPORT

LABORATORY GROWN DIAMOND REPORT

12/28/2020

IGI Report Number

Shape and Cutting Style

Measurements

GRADING RESULTS

Carat Weight

Color Grade

Clarity Grade

Cut Grade

ADDITIONAL GRADING INFORMATION

Polish

Symmetry

Fluorescence

Inscription(s)

Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.

LG464195307

ROUND BRILLIANT

7.96 - 8.01 x 4.97 mm

2.00 CARATS

F

VS 2


VERY GOOD

EXCELLENT

VERY GOOD

NONE

LABGROWN IGI LG464195307



[www.igi.org](http://www.igi.org)

PROPORTIONS



CLARITY CHARACTERISTICS



KEY TO SYMBOLS

Red symbols indicate internal characteristics.

Green symbols indicate external characteristics.

GRADING SCALES

COLOR GRADING SCALE	CL	NC	FT	VL	LT
	COLORLESS D-F	NEAR COLORLESS G-J	FAINT K-M	VERY LIGHT N-R	LIGHT S-Z

CLARITY (10X) GRADING SCALE	FL	IF	VVS	VS	SI	I
	FLAWLESS INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED	VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED	INCLUDED	

The laboratory grown diamond described in this Report (Report) has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). A laboratory grown diamond is one that has essentially the same chemical, physical and optical properties as a mined diamond, with the exception of being grown by man (a manufactured product). IGI employs and utilizes those techniques and equipment currently available to IGI, including, without limitation, 10X magnification, corrected triplet loupe, binocular microscope, master color comparison stones, non-contact-optical measuring device, Diamond Sure™, Diamond View™, Spectrophotometer and such other instruments and/or processes as deemed appropriate by IGI. This Report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

THIS REPORT IS NEITHER A GUARANTEE, VALUATION, NOR APPRAISAL OF THE GEMSTONE DESCRIBED HEREIN. PLEASE REVIEW THE LIMITATIONS AND RESTRICTIONS SET FORTH ONLINE. FOR ADDITIONAL INFORMATION, IMPORTANT LIMITATIONS AND DISCLAIMERS, PLEASE GO TO WWW.IGI.ORG OR CALL 1-888-BUY-IGIS.

© INTERNATIONAL GEMOLOGICAL INSTITUTE, INC.



PHOTO ENLARGED

LABGROWN IGI LG464195307

LASERSCRIBE<sup>SM</sup>



© IGI 2020, International Gemological Institute

FD - 10 20

LABORATORY GROWN DIAMOND REPORT

LABORATORY GROWN DIAMOND REPORT

12/28/2020

IGI Report Number

Shape and Cutting Style

Measurements

GRADING RESULTS

Carat Weight

Color Grade

Clarity Grade

Cut Grade

ADDITIONAL GRADING INFORMATION

Polish

Symmetry

Fluorescence

Inscription(s)

Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.

LG464195307

ROUND BRILLIANT

7.96 - 8.01 x 4.97 mm

2.00 CARATS

F

VS 2

VERY GOOD

EXCELLENT

VERY GOOD

NONE

LABGROWN IGI LG464195307



[www.igi.org](http://www.igi.org)



IGI

12/28/2020

IGI Report No LG464195307

ROUND BRILLIANT

7.96 - 8.01 x 4.97 mm

Carat Weight

Color Grade

Clarity Grade

Cut Grade

Depth

Table

Girdle

Slightly Thick To Thick (Faceted)

Pointed

EXCELLENT

VERY GOOD

62.2%

61%

Very Good

Symmetry

Fluorescence

Inscription(s)

LABGROWN IGI LG464195307

Comments: This Chemical Vapor Deposition (CVD) laboratory grown diamond is classified as Type IIa.