





LG496100704

LABORATORY GROWN DIAMOND REPORT

PROPORTIONS



CLARITY CHARACTERISTICS



KEY TO SYMBOLS

Red symbols indicate internal characteristics.
Green symbols indicate external characteristics.

GRADING SCALES

COLOR GRADING SCALE	CL	NC	FT	VL	LT	
	COLORLESS D-F	NEAR COLORLESS G-J	FAINT K-M	VERY LIGHT N-R	LIGHT S-Z	
CLARITY (10x) GRADING SCALE	FL	IF	VVS	VS	SI	I
	FLAWLESS INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED	VERY SLIGHTLY INCLUDED	SLIGHTLY INCLUDED	INCLUDED	

The laboratory grown diamond described in this Report (Report) has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). A laboratory grown diamond is one that has essentially the same chemical, physical and optical properties as a mined diamond, with the exception of being grown by man (a manufactured product). IGI employs and utilizes those techniques and equipment currently available to IGI, including, without limitation, 10X magnification, corrected triplet loupe, binocular microscope, master color comparison stones, non-contact-optical measuring device, Diamond Sure™, Diamond View™, Spectrophotometer and such other instruments and/or processes as deemed appropriate by IGI. This Report includes advanced security features. A duly accredited gemologist or jeweler can advise you with respect to the importance of and interrelationship between cut, color, clarity and carat weight.

THIS REPORT IS NEITHER A GUARANTEE, VALUATION, NOR APPRAISAL OF THE GEMSTONE DESCRIBED HEREIN. PLEASE REVIEW THE LIMITATIONS AND RESTRICTIONS SET FORTH ONLINE. FOR ADDITIONAL INFORMATION, IMPORTANT LIMITATIONS AND DISCLAIMERS, PLEASE GO TO WWW.IGI.ORG OR CALL 1-888-BUY-IGIS.

© INTERNATIONAL GEMOLOGICAL INSTITUTE, INC.



LABGROWN IGI LG496100704

LASERSCRIBESM

September 22, 2021

IGI Report Number **LG496100704**

Description **LABORATORY GROWN DIAMOND**

Shape and Cutting Style **ROUND BRILLIANT**

Measurements **9.21 - 9.27 X 5.72 MM**


GRADING RESULTS

Carat Weight **3.03 CARATS**

Color Grade **G**

Clarity Grade **VVS 2**

Cut Grade **IDEAL**



ADDITIONAL GRADING INFORMATION

Polish **EXCELLENT**

Symmetry **EXCELLENT**

Fluorescence **NONE**

Inscription(s) **LABGROWN IGI LG496100704**

Comments: Faint Blue
As Grown - No indication of post-growth treatment.
This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.
Type II

September 22, 2021

IGI Report Number **LG496100704**

Description **LABORATORY GROWN DIAMOND**

Shape and Cutting Style **ROUND BRILLIANT**

Measurements **9.21 - 9.27 X 5.72 MM**

GRADING RESULTS

Carat Weight **3.03 CARATS**

Color Grade **G**

Clarity Grade **VVS 2**

Cut Grade **IDEAL**

ADDITIONAL GRADING INFORMATION

Polish **EXCELLENT**

Symmetry **EXCELLENT**

Fluorescence **NONE**

Inscription(s) **LABGROWN IGI LG496100704**

Comments: Faint Blue
As Grown - No indication of post-growth treatment.
This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process.
Type II



IGI

September 22, 2021	IGI Report No. LG496100704	3.03 CARATS	G	Pointed	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	Comments: Faint Blue - No indication of post-growth treatment. This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process. Type II
ROUND BRILLIANT	9.21 - 9.27 X 5.72 MM	3.03 CARATS	VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Carat Weight	9.21 - 9.27 X 5.72 MM	3.03 CARATS	VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Color Grade			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Clarity Grade			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Cut Grade			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Depth			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Table			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Grille			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Culet			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Polish			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Symmetry			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Fluorescence			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	
Inscription(s)			VVS 2	IDEAL	EXCELLENT	EXCELLENT	NONE	LABGROWN IGI LG496100704	