

# INTERNATIONAL GEMOLOGICAL INSTITUTE

## LABORATORY GROWN DIAMOND REPORT

### IGI LABORATORY GROWN DIAMOND IDENTIFICATION REPORT

July 20, 2023	
IGI Report Number	LG591342679
Description	LABORATORY GROWN DIAMOND
Shape and Cutting Style	ROUND BRILLIANT
Measurements	5.47 - 5.55 X 3.40 MM

### **GRADING RESULTS**

Carat Weight	0.63 CARAT
Color Grade	D
Clarity Grade	VS 1
Cut Grade	IDEAL

### ADDITIONAL GRADING INFORMATION

Polish	EXCELLENT
Symmetry	EXCELLENT
Fluorescence	NONE
Inscription(s)	1G591342679


Comments: As Grown - No indication of post-growth treatment. This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) arowth process. Type II

# ELECTRONIC COPY

### LABORATORY GROWN DIAMOND REPORT

### LG591342679







THIS DOCUMENT WAS PRODUCED WITH THE FOLLOWING SECURITY MEASURES: SPECIAL DOCUMENT PAPER, INK SCREENS, WATERMARK BACKGROUND DESIGNS, HOLOGRAM AND OTHER SECURITY FEATURES NOT LISTED AND DO EXCEED DOCUMENT SECURITY INDUSTRY GUIDELINES.

For terms & conditions and to verify this report, please visit www.igi.org

#### IGI LABORATORY GROWN DIAMOND ID REPORT

July 20, 2023

IGI Report Number LG591342679

#### ROUND BRILLIANT

#### 5.47 - 5.55 X 3.40 MM

Count Malakt	0.63 CARAT	
Carat Weight	0.03 CARAT	
Color Grade	D	
Clarity Grade	VS 1	
Cut Grade	IDEAL	
Polish	EXCELLENT	
Symmetry	EXCELLENT	
Fluorescence	NONE	
Inscription(s)	LG591342679	
Comments: As Grown - No		

indication of post-growth treatment. This Laboratory Grown Diamond was created by High Pressure High Temperature (HPHT) growth process. Type II

#### **IGI LABORATORY GROWN** DIAMOND ID REPORT

### July 20, 2023 IGI Report Number LG591342679

ROUND BRILLIANT

#### 5.47 - 5.55 X 3.40 MM

Carat Weight	0.63 CARAT	
Color Grade	D	
Clarity Grade	VS 1	
Cut Grade	IDEAL	
Polish	EXCELLENT	
Symmetry	EXCELLENT	
Fluorescence	NONE	
Inscription(s)	G1LG591342679	
Comments: As Grown - No		
indication of post-growth		
treatment. This Laboratory Grown		
Diamond was created by High		
Pressure High Temperature (HPHT)		
growth process. Typ	be ll	